

Publication list of Yuko Yamada-Nakanishi as of July 14, 2021 (Only written in English)

I. Original Articles

1. Yamada Y, Hada Y, Imamura K, Mataga N, Watanabe Y, Yamamoto M.

Differential expression of immediate-early genes, c-fos and zif268, in the visual cortex of young rats: effects of a noradrenergic neurotoxin on their expression. *Neuroscience*. 1999, 92(2):473-84.

2. Hada Y, Yamada Y, Imamura K, Mataga N, Watanabe Y, Yamamoto M.

Effects of monocular enucleation on parvalbumin in rat visual system during postnatal development., *Invest Ophthalmol Vis Sci*. 1999, 40(11):2535-45.

3. Kanamori A, Nakamura M, Nakanishi Y, Nagai A, Mukuno H, Yamada Y, Negi A. Akt is activated via insulin/IGF-1 receptor in rat retina with episcleral vein cauterization. *Brain Res*. 2004, 1022(1-2):195-204.

4. Kanamori A, Nakamura M, Matsui N, Nagai A, Nakanishi Y, Kusuvara S, Yamada Y, Negi A., Optical coherence tomography detects characteristic retinal nerve fiber layer thickness corresponding to band atrophy of the optic discs. *Ophthalmology*. 2004, 111(12):2278-83.

5. Kanamori A, Nakamura M, Nakanishi Y, Yamada Y, Negi A.

Long-term glial reactivity in rat retinas ipsilateral and contralateral to experimental glaucoma. *Exp Eye Res*. 2005, 81(1):48-56.

6. Yamada Y, Ishibashi K, Ishibashi K, Bhutto IA, Tian J, Lutty GA, Handa JT.

The expression of advanced glycation endproduct receptors in rpe cells associated with basal deposits in human maculas. *Exp Eye Res*. 2006, 82(5):840-8.

7. Kanamori A, Naka M, Nagai-Kusuvara A, Yamada Y, Nakamura M, Negi A. Regional relationship between retinal nerve fiber layer thickness and corresponding visual field sensitivity in glaucomatous eyes. *Arch Ophthalmol*. 2008, 126(11), p1500-6.

8. Yamada Y, Tian J, Yang Y, Cutler RG, Wu T, Telljohann RS, Mattson MP, Handa JT. Oxidized low density lipoproteins induce a pathologic response by retinal pigmented epithelial cells. *J Neurochem*. 2008, 105(4) :1187-97.

9. Nakamura M, Kanamori A, Nagai-Kusuvara A, Kusuvara S, Yamada Y, Negi A. Serous macular detachment due to diabetic papillopathy detected using optical coherence tomography. *Arch Ophthalmol*. 2009, 127(1):105-7.

10. Ishikawa K, Nagai T, Yamada Y, Negi A, Nakamura M.

Optimal conditions for multifocal VEP recording for normal Japanese population established by receiver operating characteristic analysis. *Doc Ophthalmol*. 2011, 122(1):29-37.

11. Mizokami J, Yamada Y, Negi A, Nakamura M.

Postural changes in intraocular pressure are associated with asymmetrical retinal nerve fiber thinning in treated patients with primary open-angle glaucoma. *Graefes Arch Clin Exp Ophthalmol*. 2011, 249(6):879-85.

12. Kanamori A, Nakamura M, Tomioka M, Kawaka Y, Yamada Y, Negi A. Agreement among three types of spectral-domain optical coherent tomography instruments in measuring parapapillary retinal nerve fibre layer thickness. *Br J Ophthalmol.* 2012, 96(6):832-7.
13. Nakamura M, Naka M, Tatsumi Y, Nagai-Kusuhara A, Kanamori A, Yamada Y, Negi A. Filtering bleb structure associated with long-term intraocular pressure control after amniotic membrane-assisted trabeculectomy. *Curr Eye Res.* 2012, 37(3):239-50.
14. Nakamura M, Ishikawa-Tabuchi K, Kanamori A, Yamada Y, Negi A. Better performance of RTVue than Cirrus spectral-domain optical coherence tomography in detecting band atrophy of the optic nerve. *Graefes Arch Clin Exp Ophthalmol.* 2012, 250(10):1499-507,
15. Kanamori A, Nakamura M, Tabuchi K, Yamada Y, Negi A. Effects of ocular rotation on parapapillary retinal nerve fiber layer thickness analysis measured with spectral-domain optical coherence tomography. *Jpn J Ophthalmol.* 2012, 56(4):354-61.
16. Kanamori A, Nakamura M, Yamada Y, Negi A. Longitudinal study of retinal nerve fiber layer thickness and ganglion cell complex in traumatic optic neuropathy. *Arch Ophthalmol.* 2012, 130(8):1067-9.
17. Kanamori A, Nakamura M, Yamada Y, Negi A. Spectral-domain optical coherence tomography detects optic atrophy due to optic tract syndrome. *Graefes Arch Clin Exp Ophthalmol.* 2013, 251(2):591-5.
18. Sakamoto M, Kanamori A, Fujihara M, Yamada Y, Nakamura M, Negi A. Assessment of IcareONE rebound tonometer for self-measuring intraocular pressure. *Acta Ophthalmol.* 2014, 92(3):243-8
19. Kanamori A, Nakamura M, Tomioka M, Kawaka Y, Yamada Y, Negi A. Structure-function relationship among three types of spectral-domain optical coherent tomography instruments in measuring parapapillary retinal nerve fibre layer thickness. *Acta Ophthalmol.* 2013, 91(3):e196-202.
20. Akashi A, Kanamori A, Nakamura M, Fujihara M, Yamada Y, Negi A. Comparative assessment for the ability of Cirrus, RTVue, and 3D-OCT to diagnose glaucoma., *Invest Ophthalmol Vis Sci.* 2013, 54(7):4478-84.
21. Akashi A, Kanamori A, Nakamura M, Fujihara M, Yamada Y, Negi A. The ability of macular parameters and circumpapillary retinal nerve fiber layer by three SD-OCT instruments to diagnose highly myopic glaucoma., *Invest Ophthalmol Vis Sci.* 2013, 54(9):6025-32.
22. Kanamori A, Naka M, Akashi A, Fujihara M, Yamada Y, Nakamura M. Cluster analyses of grid-pattern display in macular parameters using optical coherence tomography for glaucoma diagnosis. *Invest Ophthalmol Vis Sci.* 2013, 54(9):6401-8.
23. Matsumoto Y, Fujihara M, Kanamori A, Yamada Y, Nakamura M. Effect of axial length reduction after trabeculectomy on the development of hypotony maculopathy. *Jpn J Ophthalmol.* 2014, 58(3):267-75.

24. Akashi A, Kanamori A, Ueda K, Inoue Y, Yamada Y, Nakamura M. The Ability of SD-OCT to Differentiate Early Glaucoma With High Myopia From Highly Myopic Controls and Nonhighly Myopic Controls. *Invest Ophthalmol Vis Sci.* 2015; 56(11): 6573-80,
25. Akashi A, Kanamori A, Ueda K, Matsumoto Y, Yamada Y, Nakamura M. The detection of macular analysis by SD-OCT for optic chiasmal compression neuropathy and nasotemporal overlap. *Invest Ophthalmol Vis Sci.* 2014; 55(7):4667-72.
26. Matsumoto Y, Fujihara M, Kanamori A, Yamada Y, Nakamura M. Effect of axial length reduction after trabeculectomy on the development of hypotony maculopathy. *Jpn J Ophthalmol.* 2014; 58(3):267-75.
27. Ueda K, Kanamori A, Akashi A, Kawaka Y, Yamada Y, Nakamura M. Difference in correspondence between visual field defect and inner macular layer thickness measured using three types of spectral-domain OCT instruments. *Jpn J Ophthalmol.*, 2015; 59(1):55-64.
28. Ueda K, Kanamori A, Akashi A, Matsumoto Y, Yamada Y, Nakamura M. Evaluation of the distribution pattern of the circum papillary retinal nerve fibre layer from the nasal hemiretina. *Br J Ophthalmol.*, 2015; 99(10):1419-23,
29. Matsumoto Y, Mori S, Ueda K, Kurimoto T, Kanamori A, Yamada Y, Nakashima I, Nakamura M. Impact of the anti-aquaporin-4 autoantibody on inner retinal structure, function and structure-function associations in Japanese patients with optic neuritis. *PLoS One.* 2017; 5;12(2):e0171880.
30. Sakamoto M, Matsumoto Y, Mori S, Ueda K, Inoue Y, Kurimoto T, Kanamori A, Yamada Y, Nakamura M. Excessive scleral shrinkage, rather than choroidal thickening, is a major contributor to the development of hypotony maculopathy after trabeculectomy. *PLoS One* 2018; 26;13(1):e0191862.,
31. Sakamoto M, Mori S, Ueda K, Akashi A, Inoue Y, Kurimoto T, Kanamori A, Yamada Y, Nakamura M. Diagnostic utility of combined retinal ganglion cell count estimates in Japanese glaucoma patients. *Jpn J Ophthalmol.*; 2018; 62(1):31-40.
32. Mori S, Sakamoto M, Kurimoto T, Kanamori A, Ueda K, Inoue Y, Yamada Y, Nakamura M. Effectiveness and safety of sulcus fixation of Baerveldt glaucoma implants in glaucomatous eyes in patients who underwent multiple intraocular surgeries. *Graefes Arch Clin Exp Ophthalmol.* 256(10):1953-1960. 2018
33. Miki A, Honda S, Inoue Y, Yamada Y, Nakamura M. Foveal Depression and Related Factors in Patients with a History of Retinopathy of Prematurity. *Ophthalmologica.* 240(2):106-110, 2018
34. Sakamoto M, Mori S, Ueda K, Kurimoto T, Kusuvara S, Yamada-Nakanishi Y, Nakamura M. En Face Slab Images Visualize Nerve Fibers With Residual Visual Sensitivity in Significantly Thinned Macular Areas of Advanced Glaucomatous Eyes. *Invest Ophthalmol Vis Sci.* 2019; 60(8):2811-2821.
35. Kurimoto T, Ueda K, Mori S, Sakamoto M, Yamada-Nakanishi Y, Matsumiya W, Nakamura M. A study protocol for evaluating the efficacy and safety of skin electrical stimulation for Leber hereditary optic neuropathy: a single-arm, open-label, non-randomized prospective exploratory study. *Clin Ophthalmol.* 2019; 28;13:897-904.

36. Mori S, Kurimoto T, Kanamori A, Sakamoto M, Ueda K, Yamada-Nakanishi Y, Nakamura M. Discordance of Disc-Fovea Raphe Angles Determined by Optical Coherence Tomography and MP-3 Microperimetry in Eyes With a Glaucomatous Hemifield Defect. *Invest Ophthalmol Vis Sci*. 2019;60(5):1403-1411.
37. Miki A, Yamada Y, Nakamura M. The Size of the Foveal Avascular Zone Is Associated with Foveal Thickness and Structure in Premature Children. *J Ophthalmol*. 2019;8340729.
38. Kurimoto T, Ueda K, Mori S, Kamada S, Sakamoto M, Yamada-Nakanishi Y, Matsumiya W, Nakamura M. A Single-Arm, Prospective, Exploratory Study to Preliminarily Test Effectiveness and Safety of Skin Electrical Stimulation for Leber Hereditary Optic Neuropathy. *J Clin Med*. 2020;9(5):1359.
39. Mori S, Murai Y, Ueda K, Sakamoto M, Kurimoto T, Yamada-Nakanishi Y, Nakamura M. A comparison of the 1-year surgical outcomes of ab externo trabeculotomy and microhook ab interno trabeculotomy using propensity score analysis. *BMJ Open Ophthalmol*. 2020;5(1):e000446.
40. Mori S, Kurimoto T, Murai Y, Ueda K, Sakamoto M, Chihara N, Yamada-Nakanishi Y, Nakamura M. Efficacy for the Annual Relapse Rate after the Immunosuppressive Therapy in Patients Associated with Anti-AQP4 or Anti-MOG Antibody-Positive Optic Neuritis. *J Ophthalmol*. 2020;8871146.
41. Mori S, Sotani N, Ueda K, Sakamoto M, Kurimoto T, Yamada-Nakanishi Y, Nakamura M. Three-year outcome of sulcus fixation of Baerveldt glaucoma implant surgery. *Acta Ophthalmol*. 2021 Mar 15. Online ahead of print.
42. Mori S, Murai Y, Ueda K, Sakamoto M, Kurimoto T, Yamada-Nakanishi Y, Nakamura M. Comparison of efficacy and early surgery-related complications between one-quadrant and two-quadrant microhook ab interno trabeculotomy: a propensity score matched study. *Acta Ophthalmol*. 2021 Feb 11. Online ahead of print.

II. Case Reports

1. Nakamura M, Tanabe M, Yamada Y, Azumi A.
Zoster sine herpete with bilateral ocular involvement. *Am J Ophthalmol* 2000; 129:809-810.
2. Sakamoto M, Kurimoto T, Mori S, Ueda K, Keshi Y, Yamada Y, Azumi A, Shimono T, Nakamura M. Vasculitis with superior ophthalmic vein thrombosis compatible with neuro-neutrophilic disease. *Am J Ophthalmol Case Rep*. 12, p39-44, 2018,
3. Mori S, Kurimoto T, Ueda K, Enomoto H, Sakamoto M, Keshi Y, Yamada Y, Nakamura M. Optic Neuritis Possibly Induced by Anti-PD-L1 Antibody Treatment in a Patient with Non-Small Cell Lung Carcinoma. *Case Rep Ophthalmol*. 9(2):348-356. 2018
4. Yamada H, Kurimoto T, Mori S, Sakamoto M, Ueda K, Yamada-Nakanishi Y, Uozumi Y, Shose H, Taniguchi M, Toyoda M, Minami H, Nakamura M.
A Case of Multi-System Langerhans Cell Histiocytosis with Local Invasion of the Orbital Apex. *Case Rep Ophthalmol*. 2019;10(3):319-326.
5. Mori S, Kurimoto T, Kawara K, Ueda K, Sakamoto M, Keshi Y, Yamada-Nakanishi Y, Tachibana H, Nakamura M. The Difficulty of Diagnosing Invasive Aspergillosis Initially Manifesting as Optic Neuropathy. *Case Rep Ophthalmol*. 2019;10(1):11-18.

6. Mori S, Kurimoto T, Ueda K, Sakamoto M, Chihara N, Satake W, Yamada-Nakanishi Y, Nakamura M. A case of neurosarcoidosis presenting with multiple cranial neuropathies. Am J Ophthalmol Case Rep. 2020
7. Murai Y, Kurimoto T, Mori S, Ueda K, Sakamoto M, Akashi K, Yamada-Nakanishi Y, Nakamura M. Granulomatosis with Polyangiitis Presenting with Bilateral Orbital Apex Syndrome. Case Rep Ophthalmol. 2021;12(1):32-40.